




PLAN VIEW

NOTES:

1. CONCRETE SHALL BE BROOM FINISHED UNLESS DIRECTED OTHERWISE BY THE PUBLIC WORKS INSPECTOR.
2. SAW CUT EXISTING SIDEWALK TO THE NEAREST SCORE LINES.
3. CONCRETE MIX SHALL CONSIST OF: 3/4 IN AGGREGATE, 5 SACK, TYPE 2 PORTLAND CEMENT. PROVIDE ONE POUND LAMP BLACK PER CUBIC YARD CONCRETE.
4. PRIVATE PROPERTY OWNER DISCHARGING WATER THROUGH CROSS DRAIN IS SOLELY RESPONSIBLE TO MAINTAIN CROSS DRAIN (AND SIDEWALK, SAN PABLO MUNICIPAL CODE 12.04.015).

DATE	BY	REVISIONS
2014-05-01	RN	ADD R/W & CLEAN OUT

CITY OF SAN PABLO

ONE ALVARADO SQUARE, SAN PABLO, CA 94806
(510) 215-3030 FAX 215-3031



CITY OF SAN PABLO
City of New Directions

Checked By: *[Signature]*

Approved By: *[Signature]*

PUBLIC WORKS ENGINEERING MANAGER


7-16-14
DATE

SIDEWALK CROSS DRAIN PLAN AND NOTES


NO SCALE

STD DET SD-02

SHEET 1 OF 2



SECTION A-A



SECTION B-B

No	By	Revision

CITY OF SAN PABLO

ONE ALVARADO SQUARE,
(510) 215-3030

SAN PABLO, CA 94806
FAX 215-3031



CITY OF SAN PABLO
City of New Directions

Checked By: [Signature]

Approved By: [Signature]

PUBLIC WORKS ENGINEERING MANAGER

DATE

7-16-14

**SIDEWALK CROSS DRAIN
SECTIONS**

NO SCALE

STD DET SD-02

SHEET 2 OF 2